



Universal Acceptance

Test Domain Names and Email Addresses for UA Readiness Evaluation

18 November 2021

UASG004



TABLE OF CONTENTS

Purpose	3
Background	3
Test Domain Names and Email Addresses	3



Purpose

This document provides details of test domain names and email addresses for developers to use when evaluating the UA readiness of their systems. Generic examples, as well as specific data, is listed including ASCII and multilingual domain names and email addresses covering the following scripts:

Arabic, Armenian, Bengali, Chinese (Simplified, Traditional), Cyrillic, Devanagari, Ethiopic, Georgian, Greek, Gujarati, Gurmukhi, Hangul, Hebrew, Hiragana, Kannada, Katakana, Lao, Latin, Malayalam, Myanmar, Oriya, Sinhala, Tamil, Telugu, Thaana, Thai and Tibetan.

The data complements the testing framework proposed in [UASG026 - Universal Acceptance Readiness Framework](#).

This version of UASG004 updates the previous version published in April 2017. Text data file corresponding to this report is available in [UASG004A](#) document.

Background

The Universal Acceptance (UA) of domain names and email addresses is a foundational requirement for a truly multilingual Internet, one in which users around the world can navigate using all valid domain names and email addresses in local languages. It is also the key to unlocking the potential of new generic top-level domains (gTLDs) to foster competition, consumer choice, and innovation in the domain name industry. To achieve Universal Acceptance, Internet applications and systems must treat all TLDs and internationalized email addresses in a consistent manner. Specifically, they must accept, validate, store, process, and display all domain names. More detail is provided in [UASG026 - Universal Acceptance Readiness Framework](#).

The Universal Acceptance Steering Group (UASG) is a community-based team working to promote Universal Acceptance by engaging with the primary stakeholders who can make UA a reality: technology and software developers, and system and email administrators. The group's primary objective is to help these stakeholders understand how to update their systems to keep pace with an evolving Domain Name System (DNS).

Test Domain Names and Email Addresses

The UASG worked with ICANN (www.icann.org) to register a variety of domain names and email addresses that can be used by industry stakeholders and community members to test UA readiness of their systems and applications.

The following table lists registered domain names in different categories and scripts. The top-level domain (TLD) is selected from those already delegated (longer and more complex TLDs are selected where applicable). The second-level domain is the translation of "universal-acceptance-test" in a language matching the TLD. The resulting domain name is the translation of "universal-acceptance-test.TLD".

Scripts for which the TLDs are not delegated at this time are listed at the end of the table, and labels in these scripts will be registered under an existing ASCII TLD which supports these scripts at the second level.

The domain names and email addresses in red are not yet functional.



	Category	Domain Name	Script
1	ASCII.ASCII (new-long)	<u>universal-acceptance-test.international</u>	Long ASCII
2	ASCII.ASCII (new-short)	<u>universal-acceptance-test.icu</u>	Short ASCII
3	IDN.IDN (RTL)	<u>تجربة-القبول-الشامل.موريتانيا</u>	Arabic
4	IDN.IDN	<u>համընդհանուր-ընկալում-թէստ.հայ</u>	Armenian
5	IDN.IDN	<u>সর্বজনীন-শৈক্ষিক-পরীক্ষা.ভারত</u>	Bangla (Bengali)
6	IDN.IDN	<u>универсальное-принятие-тест.москва</u>	Cyrillic
7	IDN.IDN	<u>सार्वभौमिक-स्वीकृति-परीक्षण.संगठन</u>	Devanagari
8	IDN.IDN	<u>უნივერსალური-თავსობადობის-ტესტი.გვ</u>	Georgian
9	IDN.IDN	<u>καθολική-αποδοχή-δοκιμή.ευ</u>	Greek
10	IDN.IDN	<u>સાર્વત્રિક-સ્વીકૃતિ-પરીક્ષણ.ભારત</u>	Gujarati
11	IDN.IDN	<u>ਸਰਵਵਿਆਪਕ-ਪ੍ਰਵਾਨਗੀ-ਪਰਖ.ਭਾਰਤ</u>	Gurmukhi
12	IDN.IDN	<u>다국어도메인이용환경테스트.한국</u>	Hangul
13	IDN.IDN (RTL)	<u>מבחן-קבלה-אוניברסלי.קום</u>	Hebrew
14	IDN.IDN	<u>どこでもつかえる.みんな</u>	Hiragana
15	IDN.IDN	<u>ನಾವೆತ್ರಿಕ-ಸ್ವೀಕಾರಾಹಂತೆ-ಪರೀಕ್ಷೆ.ಭಾರತ</u>	Kannada
16	IDN.IDN	<u>ユニバーサルアクセプタンス.クラウド</u>	Katakana
17	IDN.IDN	<u>ລາວກົມ-ການນັກສອນ-ທິດນອາງ.ລາວ</u>	Lao
18	IDN.IDN	<u>Universales-Akzeptanz-Test.vermögensberatung</u>	Latin
19	IDN.IDN	<u>സാർവ്വതീക-സ്വീകാര്യത്വ-പരിശോധന.ഭാരതം</u>	Malayalam
20	IDN.IDN	<u>ଓৰুনিଡ଼ିଗାଲ-একସେପ୍ଟସ୍ମୁ-ଟେଷ୍ଟ.ଭାରତ</u>	Oriya

21	IDN.IDN	විශ්ව-සමුත්-පරික්ෂූම.ලංකා	Sinhala
22	IDN.IDN	பொது-ஏற்பு-சோதனை.சிங்கப்பூர்	Tamil
23	IDN.IDN	యూనివర్సల్-ఆమ్హాదం-పరీక్.భారతీ	Telugu
24	IDN.IDN	ພູເທດສອບ.ໄທ	Thai
25	IDN.IDN	普遍适用测试.我爱你	Simplified Chinese
26	IDN.IDN	普遍適用測試.台灣	Traditional Chinese
27	IDN.ASCII	ሁ-ለንጻቀዱ-ተቀባይነት-መ-ከራ.com	Ethiopic
28	IDN.ASCII	ការសាងសູນແຂວງຂະລາຍຄະນະມន្ទីរជាតិ.com	Khmer
29	IDN.ASCII	အလုံးစုံလက်ခံမှုစွမ်းသပ်ချက်.com	Myanmar
30	IDN.ASCII (RTL)	.comۼ۹۸۷۶۵۴۳۲۱۰۹۸۷۶۵۴۳۲۱۰	Thaana
31	IDN.ASCII	西藏自治区-电子邮件-接受-国际.com	Tibetan

The following table lists email addresses formed using the different categories and scripts in the table above. The mailbox name is the translation of “email-test” in a language matching the domain name. The resulting email address is the translation of “email-test@universal-acceptance-test.TLD”.

These email addresses are set up to auto-respond to any email received, if the sending email address is properly configured including with a SPF record.

	Category	Email Address	Script
32	ASCII@ASCII.ASCII (new-long)	email-test@universal-acceptance-test.international	Long ASCII
33	ASCII@ASCII.ASCII (new-short)	email-test@universal-acceptance-test.icu	Short ASCII
34	Unicode@IDN.IDN (RTL)	تجربة-بريد-الكتروني@تجربة-القبول-الشامل.موريتانيا	Arabic
35	Unicode@IDN.IDN	Էլեկտրոնային-փոստ@համընդհանուր-ընկալում-թեստ.hայ	Armenian
36	Unicode@IDN.IDN	ই-মেইল-গরীক্ষা@সর্বজনীন-ধীকৃতি-গরীক্ষা.ভারত	Bangla (Bengali)



37	Unicode@IDN.IDN	почта-тест@универсальное-принятие-тест.москва	Cyrillic
38	Unicode@IDN.IDN	ইমেল-পরীক্ষণ@সার্ভারিক-স্বীকৃতি-পরীক্ষণ.সংগঠন	Devanagari
39	Unicode@IDN.IDN	ფოსტის-ტესტი@უნიվერსალური-თავსობადობის-ტესტი.გვ	Georgian
40	Unicode@IDN.IDN	ηλεκτρονικό-μήνυμα-δοκιμή@καθολική-αποδοχή-δοκιμή.ευ	Greek
41	Unicode@IDN.IDN	ઇમેઇલ-પરીક્ષણ@સાર્વત્રિક-સ્વીકૃતિ-પરીક્ષણ.ભારત	Gujarati
42	Unicode@IDN.IDN	સીમેલ-પરખ@સરવરિઅપક-પૂર્વાનગી-પરખ.ભારત	Gurmukhi
43	Unicode@IDN.IDN	이메일테스트@다국어도메인이용환경테스트.한국	Hangul
44	Unicode@IDN.IDN (RTL)	מבחן-דואר-אלקטרוני@מבחן-קבלה-אוניברסלי.קום	Hebrew
45	Unicode@IDN.IDN	めーるてすと@どこでもつかえる.みんな	Hiragana
46	Unicode@IDN.IDN	ಇ-ಅಂಚೆ-ಪರೀಕ್ಷೆ@ನಾಫತ್ತಿಕೆ-ಸ್ವೀಕಾರಾಹೆತೆ-ಪರೀಕ್ಷೆ.ಭಾರತ	Kannada
47	Unicode@IDN.IDN	メールテスト@ユニバーサルアクセプタンス.クラウド	Katakana
48	Unicode@IDN.IDN	ອີເມວ-ທິດວາງ@ກ້າວປິບ-ກ້າວລົມກັບ-ທິດວາງ.ລາວ	Lao
49	Unicode@IDN.IDN	Email-test@Universales-Akzeptanz-Test.vermögensberatung	Latin
50	Unicode@IDN.IDN	ഇമെയിൽ-പരീക്ഷായൻ@സാർവത്തിക-സ്വീകാര്യത്വാ-പരീക്ഷായൻ.ഭാരതം	Malayalam
51	Unicode@IDN.IDN	ଇମେଲ-ଟେଷ୍ଟ@ସୁନିଭରଶାଳ-ସକେସେପ୍ଲନ୍-ଟେଷ୍ଟ.ଭାରତ	Oriya
52	Unicode@IDN.IDN	ඉ-තැපැල්-පිරික්ස්ම @විශ්ව-සමුළත්-පිරික්ස්ම.ලංකා	Sinhala
53	Unicode@IDN.IDN	மின்னஞ்சல்-சோதனை@பொது-ஏற்பு-சோதனை.சிங்கப்பூர்	Tamil
54	Unicode@IDN.IDN	ఇమెయిల్-పరీక్ష @యూనివర్సల్-ఆమోదం-పరీక్ష.భారత్	Telugu
55	Unicode@IDN.IDN	อีเมลทดสอบ@ไทยทดสอบ.ไทย	Thai
56	Unicode@IDN.IDN	电子邮件测试@普遍适用测试.我爱你	Simplified Chinese
57	Unicode@IDN.IDN	電子郵件測試@普遍適用測試.台灣	Traditional Chinese



The following table lists some additional categories of domain names. Please find more on normalization and U-label/A-label representations in [UASG007 - Introduction to Universal Acceptance \(UA\)](#). This document lists mixed A-label and U-label versions of domain names for only the Arabic script, but these can be generated for any of the domain names in this document using online conversion tools.

	Category	Domain Name	Script
63	ASCII.IDN (RTL)	<u>universal-acceptance-test.உடல்</u>	Hebrew
64	IDN.ASCII	<u>épreuve-acceptation-universelle.org</u>	Latin
65	IDN.ASCII (non-NFC normalization form)	<u>épreuve-acceptation-universelle.org</u>	Latin
66	IDN。IDN (Ideographic Full Stop)	<u>普遍适用测试。我爱你</u>	Simplified Chinese
67	IDN.IDN (RTL; A-label.U-label)	<u>xn-----ctdbabcfhu9c2b9l1accr4c.موریتانيا.</u>	Arabic
68	IDN.IDN (RTL; U-label.A-label)	<u>xn--mgbah1a3hjkrd.تجربة-القبول-الشامل.</u>	Arabic
69	IDN.IDN (RTL; A-label.A-label)	<u>xn-----ctdbabcfhu9c2b9l1accr4c.xn--mgbah1a3hjkrd</u>	Arabic
70	ASCII.ASCII/U nicode	<u>universal-acceptance-test.icu/测试</u>	Chinese
71	IDN.IDN/Unicode	<u>普遍适用测试.我爱你/测试</u>	Simplified Chinese
72	IDN.IDN/Unicode (RTL)	<u>تجربة-القبول-الشامل.موریتانيا/تجربة</u>	Arabic

The following table lists some additional categories of the email addresses. The policy for mailbox names should be determined by the email administrators. For additional information, see [UASG028 - Considerations for Naming Internationalized Email Mailboxes](#). This document lists mixed A-label and U-label versions of the domain name part of email addresses in only the Arabic script, but such variations can be generated for any of the email addresses in this document using online conversion tools.

	Category	Email Address	Script
73	ASCII@ASCII.IDN (RTL)	email-test@universal-acceptance-test.مثال	Hebrew
74	IDN@IDN.ASCII	email-épreuve@épreuve-acceptation-universelle.org	Latin
75	IDN@IDN.ASCII (mailbox using uppercase letters)	Email-Épreuve@épreuve-acceptation-universelle.org	Latin
76	IDN@IDN.ASCII (domain in non-NFC normalization form)	email-épreuve@épreuve-acceptation-universelle.org	Latin
77	IDN@IDN.ASCII (mailbox in non-NFC normalization form)	email-épreuve@épreuve-acceptation-universelle.org	Latin
78	IDN@IDN。 IDN (Ideographic Full Stop)	电子邮件测试@普遍适用测试。我爱你	Simplified Chinese
79	Unicode@IDN.IDN (RTL; A-label.U-label)	تجربة-بريد-الكتروني@xn-----ctdbabcfhu9c2b9l1acccr4c.مورياتانيا	Arabic
80	Unicode@IDN.IDN (RTL; U-label.A-label)	تجربة-بريد-الكتروني@xn--mgbah1a3hjkrd.تجربة-القبول-الشامل	Arabic
81	Unicode@IDN.IDN (RTL; A-label.A-label)	تجربة-بريد-الكتروني@xn----ctdbabcfhu9c2b9l1acccr4c.xn--mgbah1a3hjkrd	Arabic
82	ASCII@IDN.IDN (RTL; A-label.A-label)	email-test@xn----ctdbabcfhu9c2b9l1acccr4c.xn--mgbah1a3hjkrd	Arabic